



IP68 Cable Gland

- Size** : 12mm to 63mm & ¼" to 2"
- Function** : Suitable for everywhere where IP68 protection is required against dust, liquid, water. IP68 cable glands are mostly used in measuring and controlling instruments, machineries and equipment. Provide shake and twist proof protection
- Ingress Protection** : IP68 as per EN 60529.
- Operating Temp.** : -40°C to +100°C
- Material** : Brass CW614N/CW617N/EN12165, Stainless Steel
- Thread** : Metric, NPT, PG
- Features** : Outer Displacement Seal
- Seal Material** : NBR
- Cable** : All types of unarmoured & Braided cable



GLAND SELECTION CHART

Size	Standard Thread Size "T"		Thread Length "D"	Cable Dia. "A"		Protrusion Length "C"	A/F	A/C
	Metric	NPT		Min.	Max.			
12	M12x1.5	¼"	5.00	3.00	8.00	21.00	17.00	19.00
16	M16x1.5	⅜"	5.00	5.00	11.00	25.00	20.00	22.50
20	M20x1.5	½"	6.00	6.00	14.00	29.00	24.00	26.20
25	M25x1.5	¾"	7.00	12.00	20.00	29.00	30.00	33.00
32	M32x1.5	1"	8.00	16.00	25.00	32.00	36.00	39.20
40	M40x1.5	1¼"	9.00	21.00	32.00	35.00	45.00	50.00
50	M50x1.5	1½"	9.00	32.00	42.00	35.00	56.50	61.50
63	M63x1.5	2"	10.00	42.00	54.00	38.00	68.00	73.00

Size	Standard Thread Size "T"	Thread Length "D"	Cable Dia. "A"		Protrusion Length "C"	A/F	A/C
			Min.	Max.			
PG7	PG7	5.00	3.00	8.00	21.00	17.00	19.00
PG9	PG9	6.00	6.00	11.00	25.00	20.00	22.50
PG11	PG11	6.00	7.00	12.00	27.00	22.00	24.00
PG13.5	PG13.5	6.00	8.00	14.00	29.00	24.00	26.20
PG16	PG16	6.50	10.00	17.00	29.00	27.00	29.25
PG21	PG21	8.00	16.00	23.00	31.00	33.00	36.00
PG29	PG29	9.00	20.00	29.00	35.00	42.00	45.00
PG36	PG36	9.00	29.00	39.00	35.00	53.00	58.00
PG42	PG42	10.00	36.00	46.00	35.00	60.00	65.00
PG48	PG48	10.00	40.00	50.00	38.00	65.00	70.00

PRODUCT CODE FOR ORDERING PURPOSE

Size	Type	Material	Thread Type
12	WIP68	Brass-1	Standard Metric-11
		Stainless Steel-2	Standard NPT-12
		Brass Nickel Plated-3	Standard PG-14

ORDERING INFORMATION

Item Code: 12WIP68311 or 12WIP68312*

Item Description: WIP68-12-M12 Brass Nickel Plated Cable Gland. WIP68-12-¼" NPT Brass Nickel Plated Cable Gland

12=Gland Size, WIP68=Gland Type, 3=With BNP Material, 11=With Standard Metric Thread, 12*=With Standard NPT Thread,